

# ROCCIA X: FROST RESISTANT. NON SLIP. PURE.

## COLOURS



920 weizenschnee




927 rosenglut

## MOSAIC



0331/920 weizenschnee




0331/927 rosenglut



The 340 mm tread depth of the loft stair tread corner® allows flexible use and adjustment, even for non-standard stairs.

loft stair tread corner®



loft stair tread tile®, 30 cm

loft stair tread tile®, 30 cm

decorated edge, 35mm high

## FORMATS



8031 stoneware tile  
294 x 294 x 10 mm




8041<sup>1)</sup> stoneware tile  
394 x 394 x 10 mm



8045 stoneware tile  
444 x 294 x 10 mm



8063 stoneware tile  
594 x 294 x 10 mm




8064<sup>1)</sup> stoneware tile  
594 x 394 x 10 mm



4837 loft angle tile®<sup>1) 2)</sup>  
294 x 175 x 52 x 10 mm



9430 loft stair tread tile®<sup>1) 2)</sup>  
294 x 340 x 35 x 11 mm



9440 loft stair tread tile®<sup>1) 2)</sup>  
394 x 340 x 35 x 11 mm



9430 loft stair tread corner®<sup>1) 2) 3)</sup>  
340 x 340 x 35 x 11 mm



8102 loft skirting  
294 x 73 x 8 mm



8104 loft skirting  
394 x 73 x 8 mm



9000 riser corner  
157 x 60 x 60 x 11 mm



0331 mosaic surfaces  
294 x 294 x 10 mm



STRÖHER applicational perfection - from outdoors to indoors. The colours 920 weizenschnee and 927 rosenglut are also available as Teriolec® and Teriolec® X Keraelement®. For more information, please visit our website [www.stroeher.com](http://www.stroeher.com).

<sup>1)</sup> = calibrated

<sup>2)</sup> = The marked trim pieces are to be used in accordance with the applicable instructions for use from STRÖHER GmbH as well as applicable standards and informational leaflets. For further information please see catalogue pages 136 ff. or visit our website under [www.stroeher.com](http://www.stroeher.com).

<sup>3)</sup> = The 340 mm tread depth of the loft stair tread corner® allows flexible use and adjustment, even for non-standard stairs. The formats shown are illustrative drawings and are not binding. All information without guarantee.

\* STRÖHER is the only German manufacturer offering a 25-year frost resistance guarantee on the following extruded products that have been correctly installed by a qualified professional tiler: Keraplatte® Aera X, Keraplatte® Roccia X, Keraplatte® Asar X, Keraplatte® Aera, Keraplatte® Aera T, Keraplatte® Roccia, Keraplatte® Asar, Keraplatte® Lodge, Keraplatte® Terra, Keraplatte® Duro, Teriolec® Keraelement®, Teriolec® X Keraelement®, Teriolec® X Profile Keraelement®, Zeitlos, Keravette®, Keraprotect® and Stalotec®. Please find further explanations in our general terms and conditions.



STRÖHER GmbH  
Ströherstraße 2-10  
D-35683 Dillenburg  
Tel.: +49 (0) 2771 391-0  
Fax: +49 (0) 2771 391-340  
E-Mail: [info@stroeher.de](mailto:info@stroeher.de)  
[www.stroeher.com](http://www.stroeher.com)



Institut Bauen  
und Umwelt e.V.



DEUTSCHE FUESSE  
Für alle, die mehr erwarten.



FROST RESISTANT. NON SLIP. PURE.

# Roccia X

KERAPLATTE®



FREIRAUM KERAMIK  
MADE FOR EXTREMES  
EXTRUDIERT & ANWENDUNGSORIENTIERT



# Roccia X

KERAPLATTE®



For some, an X means more freedom whereas others, however, love to squeeze themselves into an M. Some regard nativeness as a step backwards and others again as a progress. The ambience of transferred nativeness is a warrantor for individuality and untamed freedom. With its untamed large formats and new unique trim parts on a level of shrinkage and straightness never seen before on the market, Roccia X stands for one thing in particular: pure living.



INTERPRETATION OF A BESTSELLER – A FEELING OF  
WILDFLOWER MEADOWS INSTEAD OF TRIMMED LAWNS

---



Original, straight-lined, reduced, X-concept high-end,  
matching the element, in 6 sizes from 30 x 30 to 40 x 80 cm.



9430  
loft stair tread tile®



9440  
loft stair tread tile®



9441  
loft stair tread corner®



4837  
loft angle tile®



8102  
loft skirting



8104  
loft skirting



9000  
loft riser corner